

RADIANCE PET FILMS



RADIANCE

Integral Color | Superior Scratch & Mar Resistance | UV stability

PET (Polyester) High Gloss Laminate

THE PRODUCT

Radiance PET High Gloss Laminate features fantastic depth of color and mirror like finish allowing you to economically create high end components.

APPLICATIONS





FUNCTIONAL 1D AND 2D FINISHES

Available in a 1D SSR hard coat finish for excellent scratch resistance or a more flexible 2D finish for projects that require profile wrapping and miter folding functionality.

Perfect for micro-living, single residence and multifamily cabinetry applications.

Both formulations are part of the SSI North America stock program in a .300mm thickness.

Radiance is available in a wide range of colors and up to .800mm thick on a custom production basis.



P 973.598.0152 F 973.598.0156 www.ssinorthamerica.com info@ssinorthamerica.com



RADIANCE

Integral Color | Superior Scratch & Mar Resistance | Anti Finger Print Surface

PET (Polyester) Super Matte Laminate

THE PRODUCT

Radiance PET Super Matte Laminate features rich color, a fine matte finish and a lustrous feel allowing you to create top flight cabinetry and millwork.

APPLICATIONS





FUNCTIONAL 1D AND 2D FINISHES

Available in a 1D hard coat finish for excellent scratch resistance, mar and stain resistance. Perfect for any flat panel project where a tough and rich super matte surface is required.

Perfect for micro-living, single residence and multifamily cabinetry applications.

Part of the SSI North America stock program in a .300mm thickness. Radiance Super Matte is available in a wide range of colors and up to .800mm thick on a custom production basis.



ESSENTIAL GREY SM SSR

BRIGHT WHITE SM SSR



P 973.598.0152 F 973.598.0156 www.ssinorthamerica.com info@ssinorthamerica.com

RADIANCE

Radiance 2D & 1D PET High Gloss and Super Matte Laminate

Care & Cleaning Guidelines

Cleaning agents \ detergents should not contain:

Aromatic hydrocarbons, ester, ketones, halogenated hydrocarbons or alcohol above 25%. Vinegar-based cleaners should not be used.

- No solvents (e.g. Paint thinners, turpentine, etc.)
- No abrasive detergents (e.g. Baking soda etc.)
- No furniture polish designed for wood
- No denatured alcohols (e.g. White spirit, etc.)
- No cleaner in combination with a brush or scrubbing
- Use of brushes and scouring pads is not suggested



GENERAL CLEANING FOR BOTH HIGH GLOSS & SUPER MATTE FINISHES

A clean cotton or microfiber cloth saturated with a mixture of warm water (99%) and a mild, nonabrasive dish washing soap (1%) can be used to clean Radiance laminate by wiping in vertical movements with light pressure.

Never use a dry paper towel for cleaning and do not clean in direct sunlight.

High gloss Radiance can be brought to a streak free shine by using Novus 1 plastic protectant or VuPlex Plastic Polish.

RETAIL CLEANERS & POLISHES

Test all retail cleaning agents for compatibility with Radiance by applying to an inconspicuous area of the cabinet first, to confirm that the cleaner does not damage the surface.

Always read and follow the directions specified on the label and apply with a clean cotton or microfiber cloth, wiping in a vertical motions with light pressure. (Mixing agents is not suggested) Never use a dry paper towel for cleaning and do not clean in direct sunlight.

P 973.598.0152 F 973.598.0156 www.ssinorthamerica.com info@ssinorthamerica.com

