COMPLEMENTARY MATERIALS
CLICK HERE

KARUNA ASH

KARUNA ASH IS A WARM CARAMEL-BROWN WOODGRAIN STRUCTURE WITH MODERN LINES AND FRIENDLY TONES, MAKING KARUNA THE ULTIMATE IN APPROACHABILITY WHEN LOOKING FOR A RICHER, DEEPER, GROUNDED INTERIOR COLORATION.

KARUNA ASH IS OFFERED IN A HEAVILY TEXTURED FINISH AND IS SUITABLE FOR VERTICAL AND HORIZONTAL APPLICATIONS. IT IS EASY TO CLEAN, DOESN'T CHIP, IS HIGHLY DURABLE AND HAS LONG TERM UV STABILITY.

PENTADECOR® 3D LAMINATE
COLOR CODE: ES/0803
PARALLEL

SSI
NORTH AMERICA

KARUNA ASH

PENTADECOR® 3D LAMINATE

STOCK RANGE ✓ **PARALLEL** ✗

COLOR CODE: ES/0803 **EMBOSSING:** A16 ML **TOPCOAT:** MATTE LINE (ML)

PERFORMANCE SUMMARY

- BLEACH SOLUTION CLEANABLE
- EXCELLENT SOIL & STAIN RESISTANCE
- NATURAL FLUID BARRIER
- EXCELLENT ABRASION & IMPACT RESISTANCE
- EXCELLENT COLOR STABILITY

ENVIRONMENTAL

- NO ADDED FLAME RETARDANTS
- NO ADDED ANTIMICROBIALS
- DOES NOT CONTAIN FORMALDEHYDE
- FORMULATED WITHOUT PHTHALATES

CLEANING AND MAINTENANCE

- WATER AND MILD LIQUID SOAP CLEANABLE

COMPLEMENTARY MATERIALS

CLICK HERE

ITEM SPECIFICATIONS

MOQ : NONE
SURFACE TEXTURE/EMBOSSING : SMOOTH SURFACE
SURFACE GLOSS : LEVEL 6 **SURFACE FINISH LACQUER** : SCRATCH & STAIN RESISTANT POLYURETHANE
GAUGE : .014" (350MY) **WIDTH** : 57" (1450MM)
ROLL SIZE : 250 LM/ROLL
DESIGN REPEAT (RAPPORT) : 1100MM / 43.307"

SUITABLE FOR : MEMBRANE PRESSING – FLAT LAMINATION – PROFILE WRAPPING – MITER FOLDING

PERFORMANCE CHARACTERISTICS

3.8 BALL IMPACT NEMA* : >3000MM (118")
3.9 IMPACT RESISTANCE NEMA* : >1000MM (39")
3.13 WEAR RESISTANCE NEMA* : 750 CYCLES
3.4 CLEANABILITY & STAIN RESISTANCE NEMA* : 14
LIGHT FASTNESS ISO 105-BO2 WBS : 6-7
LIGHT REFLECTIVE VALUE (LRV) : 17.21
FLUID BARRIER : INHERENT FLUID BARRIER (NATURALLY HYDROPHOBIC)
MEDICAL REAGENTS : COMPATIBLE WITH COMMON CLEANERS, REAGENTS AND DISINFECTANTS USED IN N.A.
ASTM E84 : CLASS A
REDUCED ENVIRONMENTAL IMPACT: MANUFACTURED WITHOUT PLASTICIZERS, PHTHALATES, OR HEAVY METALS

Test results may vary by color and design