



BLACK

A DEEP, TRUE BLACK COLORATION WITH A MODERATELY TEXTURED SURFACE. PAIRS WELL WITH ALL SOLIDS AND WOODGRAINS.

SSI'S 3DL SOLID FINISH HAS A LIGHT TEXTURE AND A GLOSS LEVEL OF AROUND 12-15. THIS SURFACE IS SUITABLE FOR BOTH VERTICAL AND HORIZONTAL APPLICATIONS. IT IS EASY TO CLEAN, DOESN'T CHIP. IS HIGHLY DURABLE AND HAS LONG TERM UV COLOR STABILITY.

COMPLEMENTARY MATERIALS

[CLICK HERE](#)



PENTADECOR® 3D LAMINATE
COLOR CODE: 95/2500
PARALLEL ✓





BLACK

PENTADecor® 3D LAMINATE

STOCK RANGE ✓ PARALLEL ✓

COLOR CODE: 95/2500 EMBOSsing: B68 BL TOPCOAT: BASIC LINE (BL)

PERFORMANCE SUMMARY

- BLEACH SOLUTION CLEANABLE
- EXCELLENT SOIL & STAIN RESISTANCE
- NATURAL FLUID BARRIER
- EXCELLENT ABRASION & IMPACT RESISTANCE
- EXCELLENT COLOR STABILITY

ENVIRONMENTAL

- NO ADDED FLAME RETARDANTS
- NO ADDED ANTIMICROBIALS
- DOES NOT CONTAIN FORMALDEHYDE
- FORMULATED WITHOUT PHTHALATES

CLEANING AND MAINTENANCE

- WATER AND MILD LIQUID SOAP CLEANABLE

ITEM SPECIFICATIONS

MOQ : NONE

SURFACE TEXTURE/EMBOSSING : STIPPLED,
MODERATE **SURFACE GLOSS** : LEVEL 8 **SURFACE
FINISH LACQUER** : SCRATCH & STAIN RESISTANT
POLYURETHANE **GAUGE** : .012" (300MY) **WIDTH** : 57"
(1450MM) **ROLL SIZE** : 250 LM/ROLL
DESIGN REPEAT (RAPPORT) : SOLID COLOR ∞
SUITABLE FOR : MEMBRANE PRESSING – FLAT

LAMINATION – PROFILE WRAPPING – MITER FOLDING

PERFORMANCE CHARACTERISTICS

3.8 BALL IMPACT NEMA* : >3000MM (118")
3.9 IMPACT RESISTANCE NEMA* : >1000MM (39")
3.13 WEAR RESISTANCE NEMA* : 3250 CYCLES
3.4 CLEANABILITY & STAIN RESISTANCE NEMA* : 14
LIGHT FASTNESS ISO 105-BO2 WBS : 6-7
LIGHT REFLECTIVE VALUE (LRV) : 4.96
FLUID BARRIER : INHERENT FLUID BARRIER
(NATURALLY HYDROPHOBIC)
MEDICAL REAGENTS : COMPATIBLE WITH COMMON
CLEANERS, REAGENTS AND DISINFECTANTS USED IN
N.A.
ASTM E84 : CLASS A
REDUCED ENVIRONMENTAL IMPACT: MANUFACTURED
WITHOUT PLASTICIZERS, PHTHALATES, OR HEAVY
METALS

Test results may vary by color and design

This information is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not therefore be understood as guaranteeing specific properties of the products described or their suitability for a particular application. Any existing industrial property rights must be observed.

COMPLEMENTARY MATERIALS

[CLICK HERE](#)